



S.C. Department of Labor, Licensing and Regulation
DIVISION OF FIRE AND LIFE SAFETY
Office of State Fire Marshal
141 Monticello Trail Columbia, SC 29203
Educational/Institutional Fire Drill Report

1. Facility/Address: 820 West 5th North Street
Summerville, SC
2. Person conducting drill: Carolyn Thomas
3. Date of drill: 10-18-18 Time: _____
4. Weather Condition: ☐ Sunny ☒ Cloudy ☐ Raining
☐ Windy ☐ Calm 64 Temperature
5. Fire Department notified: ☒ Yes ☐ No
If so, how? ☒ Telephone ☐ Fire Alarm System
6. Number of occupants evacuated: 810 Students 100 Faculty/Staff
7. All rooms searched to insure evacuation of all: ☒ Yes ☐ No
8. Everyone gathered at designated meeting place: ☒ Yes ☐ No
9. Total time to evacuate: 5:54
10. Remarks:
Successful drill

A record of all fire exit drills shall be kept on the premises. The following minimum information is required per the Standard Fire Prevention Code 809.1.2:

- Identity of person conducting drill.
- Date and Time of drill.
- Notification method.
- Staff members on duty and participating.
- Number of occupants evacuated.
- Any special conditions simulated.
- Problems encountered.
- Weather conditions.
- Time required for complete evacuation.